THE BANK OF MYSORE, LIMITED, BANGALORE.

Statement of the affairs of the Bank of Mysore, Limited, for the week ending 18th July 1935, published under Article 141 of the Articles of Association.

LIABILITIES		ASSETS	
	Rs.		Rs.
To Capital Receipts	20,00,000	By Cash in Hand and at Bankers	40,17,331
„ Reserve Fund	23,25,000	„ Loans and Cash Credit Accounts	1,54,17,613
„ Public and other Deposits ..	2,08,30,471	„ Bills discounted	1,66,205
„ Sundries	4,12,271	„ Investments	53,10,780
(Annas and pies omitted.)		„ Balance at Agencies	19,999
		„ Dead Stock	5,80,326
		„ Sundries	55,488
Total ..	2,55,67,742	Total ..	2,55,67,742

BANGALORE,
Dated 22nd July 1935.

P. W. O'BRIEN,
Manager.

"I intend moving the honourable High Court of Mysore to enrol me as an advocate thereof."

JAGALUR NARAYANA RAO, B.A., LL.B.

"I intend moving the Hon'ble High Court of Mysore, Bangalore, to enrol me as an Adovcate thereof."

P. RAGHAVENDRA RAO.

"I intend moving the Hon'ble High Court of Mysore, Bangalore, to enrol me as an Advocate thereof."

T. N. RAMACHANDRA SETTY, B.A., LL.B.

NOTICE.

The undersigned hereby notifies that he intends signing his name as hereunder in English in future instead of in Kannada as heretofore.

MOHAMAD ALI BEIG,
SON OF MAHADI BEIG,
Contractor, Holenarsipur.

4th July 1935.

GOVERNMENT OF MYSORE STORES PURCHASE COMMITTEE, BANGALORE.

No. S. P. C. 427-47, *dated 5th July* 1935.

To

The Firms dealing in Electrical Materials.

Enquiry No. 1443.

SWITCHBOARD MATERIALS REQUIRED FOR ELECTRIFICATION OF TOWNS EN-ROUTE TO BHADRAVATI.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

Item (1) Three Switchboard Panels of black slate 2″ thick, 3/8″ bevel, for controlling 4,600 volts, 3 phase incoming circuits, each panel unit consisting of a top section 54″ high×24″ wide and a bottom section 24″×24″. Each of these panels should have the following instruments mounted thereon :—

One Horizontal Edgewise, 25 cycles, A. C. Indicating Ammeter, 0-40-80 amperes scale, to be calibrated with 5 amperes secondaries of current transformers. The ammeter is also to be provided with one current transfer jack and plug so as to be able to read the current in any of the three phases with one ammeter only.

One Horizontal Edgewise, 25 cycles, A. C. Indicating Voltmeter, 0-5,000 volts cale. (Potential Transformers ratio 4,600: 115 volts.)

One Horizontal Edgewise Polyphase Indicating A. C. Watt-meter, 0-300-600 K. W. range scale for reading the power of a three phase, three wire, 4,600 volts, 25 cycles unbalanced circuit by means of potential transformers mentioned above and current transformers of 80 : 40 : 5 amperes ratio.

One Switchboard type, polyphase, K. W. Hour Meter to be energized from potential and current transformers as in the case of the watt-meter above.

One set of testing links and terminals for the above instruments.

One 4,600 volts, 3 phase, 25 cycles, Ground Detector to indicate the ground on any phase of 4,600 volts, 3 phase, 3 wire, ungrounded circuit.

Note :—All the above instruments excepting the kilowatt hour meter and test links should be mounted on the top section and the latter on the bottom section.

Item (2) 5—Switchboard Panels for controlling 4,600 volts in-coming circuits, exactly similar to item (1) above, excepting that the A. C. Ammeters should have 0-20-40 amperes scales and the watt-meters and watt-hour meters are to be connected to the current transformers having 40 : 20 : 5 amperes ratio. The indicating watt-meter should have a scale of 0-150-300 K. W. scale.

Item (3) 14—Panels similar to items 1 and 2 above, but for controlling out-going 4,600 volts, 3 phase, 25 cycles feeder circuits. Each panel shall have mounted thereon :—

One Horizontal Edgewise A. C. Indicating Ammeter of 0-20-40 amperes scale to be calibrated from 5 amperes secondaries of current transformers.

One 3 phase Current Transfer Jack and plug for reading the current in any of the three phases by the above ammeter.

One Horizontal Edgewise Polyphase Indicating Watt-meter, 0-150-300 K. W. range scale.

The above instruments are to be mounted on the top section of panel whereon will also be mounted the operating handle of the feeder oil switches.

The bottom section will be blank with the exception of the testing terminals for the above instruments being mounted thereon.

The watt-meter will be energized from potential transformers 4,600–115 volts and current transformers 40-20-5 amperes ratio.

The instruments should have a dull black finish and be mounted flush on the panels. They should maintain their guaranteed accuracy for at least one year without further adjustments.

All the above materials are required for switchboard service on a 4,600 volts, 3 phase, 3 wire, 25 cycles, delta connected system and should meet with the latest standards of the A. I. E. E. or the B. E. S. A. with regard to tests, accuracy, etc. Full particulars regarding characteristics, dimensions, accuracy, etc., should be furnished along with the quotations.

The prices to be quoted should be for delivery, c. i. f., Madras.

This enquiry will close on the 20th September 1935.

No. S. P. C. 1122-35, dated 22nd July 1935.

To

The Firms dealing in Telephones.

Enquiry No. 1451.

MAGNETO TELEPHONES.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

(1)	Magneto Telephones, wall type, with 2,500 ohms ringer and a powerful 5 magnet generator.	23
(2)	Do Table with 2,500 ohms ringer and a powerful 5 magnet generator in a separate box.	17
(3)	Do Portable long distance with 2,500 ohms ringer and powerful 5 magnet generator.	14

The above telephones should be supplied with Neo Phone type combined transmitter and receiver. Full details of the equipment offered should be furnished with the tender.

The prices to be quoted should be for delivery, c. i. f., Madras.

This enquiry will close on the 10th September 1935.

No. S. P. C. 1122-35, *dated* 22*nd July* 1935.

To

The Firms dealing in Underground Cable.

Enquiry No. 1452.

UNDERGROUND CABLE.

GENTLEMEN,

I write to request you to quote your best price and earliest time of delivery for the following material :—

26,840 feet Underground Cable No. 8 A.W.G. (7/18 S.W.G.) Stranded, single conductor, varnished cambric insulated, suitable for 8,000-volts, A.C., lead covered, jute served, suitable for laying directly underground. The varnished cambric insulation should be made up of several layers of black varnished cambric of high di-electric strength and the radial thickness of insulation should not be less than 18/64″. The inter-space between different layers of varnished cambric should be filled with suitable insulating compound to increase the lasting property of the varnished cambric. The lead sheath should have a thickness of not less than 5/64″ and be of non-corrosive quality. The lead sheath should be covered over-all with asphalted jute serving.

The cable to be supplied will have to be tested according to the specifications of the Insulated Power Cable Engineers' Association of America (1934) or the latest standards of the B.E.S.A. and test certificates will be required to be submitted at the time of supply.

The following particulars relating to the cable offered should be furnished in your tender :—

1. Actual radial thickness of the cambric insulation.
2. Di-electric strength of the varnished cambric per mil.
3. Actual radial thickness of lead sheath.
4. Radial thickness of jute serving.

The prices to be quoted should be for the supply of the above cable on reels in lengths of about 3,000 feet each and for delivery c. i. f., Madras.

This enquiry will close on the 16th September 1935.

No. S. P. C. 1171-90, *dated* 22*nd July* 1935.

To

The Firms dealing in Electrical and Telephone Fittings.

Enquiry No. 1454.

ELECTRICAL AND TELEPHONE FITTINGS.

GENTLEMEN,

I write to request you to quote your best prices for the materials described in the attached lists subject to the conditions specified below :—

(1) The quantities specified against the respective items are only approximate. The actual quantity to be indented for will vary by 25 per cent on either side.

(2) The prices to be quoted should be for free delivery at the C. P. S. Central Stores near Binny Mills, Bangalore City, in the case of firms resident in Bangalore and for delivery, f. o. r., Bangalore in the case of others.

(3) (*a*) The prices to be quoted should hold good for one year from the date of acceptance of the tender. No enhancement in prices will be allowed during the period.

(*b*) If in the case of any specific items you are unable to accept this condition, such items should be clearly indicated.

(4) The materials will be required to be supplied from time to time in quantities to be indented for by the Chief Electrical Engineer or any one authorized by him. Each indent should be complied with within two weeks from the date of receipt of same.

(5) Detailed specifications should be furnished for the materials, along with the name of makers and brand of the same.

Quotations should be submitted so as to reach us not later than the 15th August 1935.

SCHEDULE I.—MISCELLANEOUS ELECTRICAL FITTINGS.

Item No.	*Description of material.*	*Approximate quantity.*
1.	Adopters B. C.	21 Nos.
2.	Bell Call Electric "Marlo"	3 ,,
3.	Bituman, best quality	5,000 lbs.
4.	Brackets, wall, brass 9″ long, for $\frac{5}{8}$″ holders, complete with lamp-holders B. C.	12 Nos.
5.	Blocks round T. W. 3″ dia., $1\frac{1}{2}$″ thick	250 ,,
6.	Do $3\frac{1}{2}$″ dia., $1\frac{1}{4}$″ thick	300 ,,
7.	Conduit braized $\frac{5}{8}$″	500 ft.
8.	Plug wall with nipple 5 amps	12 Nos.
9.	Splicing gum $\frac{3}{4}$″ in $\frac{1}{2}$ lb. rolls	10 rolls
10.	Clips Henley's with shackle (No. P. 175) for 12 and 14 wire	4,000 Nos.
11.	Do (No. P. 200) for 10 wire	2,000 ,,
12.	Meter Jewel Oil	3 bottles.
13.	Come-alongs, steel for No. 6 B. & S. wire	12 pairs
14.	Come-alongs "Red Devil" for 1/0 copper to 4/0 alluminium wire	24
15.	Sockets or lamp-holders B.C. batten	600 Nos.
16.	Do B.C. $\frac{5}{8}$″	162 ,,
17.	Do B.C. C. G.	300 ,,
18.	Do B.C. with key	6 ,,
19.	Shades, enamelled 10″ dia.	25 ,,
20.	Switches snap 5 amps.	12 ,,
21.	Marvel Electric Blower suitable for 250 volts. A.C. and D.C. equipped with $\frac{1}{4}$ H.P. ball bearing air cooled motor giving 20″ water column pressure, 20 ft. high grade rubber cable and plug and rubber nozzle with toggle thumb switch in handle	2 ,,
22.	Boxes, cast iron, small, 30 amps. for house installations	3,250
23.	Boxes, cast iron, big, for power installations	360
24.	Insulators :—	
	(*a*) Distribution insulators, white, for 8,000 volts, with steel pins and wooden thimbles	21,350
	(*b*) Do for 13,000 volts do	500
	(*c*) Break Insulators for 8,000 volts	1,000
	(*d*) Strain insulators for 8,000 volts	1,000
	(*e*) Do for 13,000 volts.	100
	(*f*) Bushings, porcelain, $\frac{5}{8}$″ for C.I. Boxes	12,500

SCHEDULE II.—TELEPHONE FITTINGS.

1.	Cells, dry, inert No. 55 (Siemens)	482
2.	Do G.E.C. No. 4	24
3.	Do No. U-2 for Ever-Ready torches	1,300
4.	Do No. 950 do	300
5.	Chord for receiver	24
6.	Chord flexible for Western Electric Company's Telephone Transmitters	12
7.	Do for Western Electric Co's. table telephones	12
8.	Jars, glass, Leclanche No. 1	60
9.	Do No. 2	172
10.	Pots, porous No. 1 size	100
11.	Do No. 2 size	333
12.	Rods, Zinc No. 1	234
13	Do No. 2	764
14.	Mouth-Piece for Western Electric Co's. transmitter	12
15.	Carbon Slabs $\frac{1}{4}$″ thick of standard size 12″×6″×5/16″	12 slabs
16.	Receivers for Western Electrical Telephones	3
17.	Transmitters do	3
18.	Sal-ammoniac Tabloids	438 lbs.
19.	Lamps or bulbs 3·5 volts M.F., S.B., for Ever-Ready Torches	84
20.	Torches, Every-Ready 3 Cells, No. 2203	39
21.	Lamps for Wheatspot lights	60
22.	Lenses for the above	30
23.	Leclanche Cells, No. 1	6
24.	Combined Receiver and Transmitter for portable telephones	12

No. S. P. C. 1200-1219, *dated 22nd July* 1935.

To

The Firms dealing in Electrical Materials.

Enquiry No. 1457.

MISCELLANEOUS ELECTRICAL MATERIALS.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

(1)	Insulation tape, black, adhesive, 7 mils thick, in rolls of 1 lb. each,	size $\frac{1}{2}$" width	.. ..	1,000 rolls
(2)	Do	do $\frac{3}{4}$" ,,	.. ..	566 ,,
(3)	Do	do 1" ,,	.. ..	350 ,,
(4)	Fine Egyptian cotton linen tape, in rolls of 1 gross yds.,	$\frac{1}{2}$" width	..	205 ,,
(5)	Do	do $\frac{3}{4}$" ,,	..	450 ,,
(6)	Do	do 1" ,,	..	250 ,,
(7)	Insulation tape, black varnish cambric, 7 mils thick, bias cut, in rolls of one gross yds.	$\frac{1}{2}$" width	..	374 ,,
(8)	Do	do $\frac{3}{4}$" ,,	..	400 ,,
(9)	Do	do 1" ,,	..	450 ,,
(10)	Varnished cambric cloth, black, 36" width, size 7 mils thick		..	149 yards
(11)	Do	10 mils thick	..	39 ,,
(12)	Soldering paste, best quality, in 1 lb. tins.		..	130 tins

Full specifications with regard to the di-electric strength of the varnished cambric tapes, etc., should be furnished in your quotation which should be accompanied by samples of the materials offered. The name of the manufacturers of the materials should also be specified.

The prices to be quoted should be for delivery, f. o. r., Bangalore.

This enquiry will close on the 20th August 1935.

No. S. P. C. 1232-50, *dated 22nd July* 1935.

To

The Firms dealing in Rubber Gloves.

Enquiry No. 1458.

RUBBER GLOVES.

GENTLEMEN,

I write to request you to quote your best prices and earliest time of delivery for the following materials :—

(1)	Rubber gloves, tested for 10,000 volts, size No. 9, 18" long	100 pairs.
(2)	Rubber gloves, tested for 10,000 volts, size No. 10, 18" long ..	50 pairs.

The prices to be quoted should be for delivery, f. o. r., Bangalore.

This enquiry will close on the 15th August 1935.

No. S. P. C. 1663-82, *dated 22nd July* 1935.

To

The Firms dealing in Copper Ingots.

Enquiry No. 1463.

COPPER INGOTS.

DEAR SIR GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the attached schedule, in the form printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed " Quotations for Copper Ingots " with the above Enquiry Number.

This enquiry will be closed on the 5th August 1935.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted F. O. R.	Time of delivery
	Copper ingots of 99·5% purity conforming to Indian Railways Standard Specification No. N. 4-29	2 tons.	Mysore South.	

N.B.—(1) Samples of material offered weighing not less than 2 oz. should be sent for examination without which the quotation will not be considered.
(2) The price to be quoted suould be based on Railway material rates.
(3) The price to be quoted should be firm for two days after the closing date of the enquiry.
(4) The entire supply is required to be made in one single lot.

No. S. P. C. No. 1747-56, *dated 23rd July* 1935.

To

The Firms dealing in Steel Chairs.

Enquiry No. 1467.

STEEL CHAIRS.

GENTLEMEN,

Sealed tenders will be received by the undersigned up to 5th August 1935, for the supply of steel chairs required for the Educational Institutions and other Government Departments during the year 1935-36.

Steel Chairs, both round and square bottom with back.

(As at present estimated about 200 chairs may be required during the year).

N.B.—Quotations may be sent for different patterns of chairs including folding ones.

Tenderers should bind themselves to abide by the following conditions :—

(1) The price you quote should hold good for a period of one year from the date the contract is let.
(2) No enhancement in the prices accepted will be allowed during the period of contract.
(3) The number specified above is not definite and the Stores Purchase Committee do not bind themselves to purchase any definite number. The contract will be deemed to be limited to the number to be actually drawn.
(4) The indents for the chairs should be complied with within two weeks after their receipt.
(5) The prices to be quoted should be for free delivery on rails at Bangalore, Mysore, Kolar, Tumkur, Hassan, Shimoga, Chikmagalur and Chitaldrug.
(6) The chairs should be guaranteed to be of sound construction and workmanship and such as are found to be defective or become unserviceable under normal use during the year, will have to be replaced by sound ones free of cost to us.

Illustrated literature, if any, together with full specifications may be sent along with the quotation.

No. S. P. C. 1763-72, *dated 22nd July* 1935.

To

The Firms dealing in Country Blankets.

Enquiry No. 1472.

COUNTRY BLANKETS OR CUMBLIES.

GENTLEMEN,

Please be good enough to intimate your best prices, f. o. r., Bangalore, for the materials described below :—

Country Blankets or Cumblies 600

N.B.—Samples of articles offered should accompany the tender.

The prices quoted should hold good for a period of one year from the date of letting the contract ;

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) An earnest money of Rs. 50 should be remitted to the State Huzur Treasury with the accompanying challans duly filled in and the fact indicated in the tender.

(2) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

(3) An agreement undertaking to abide by our above terms will be required to be executed and security deposit equal to 3 per cent of the value of the order should also be furnished.

The quotations which should be made on your own forms, should be submitted in sealed cover superscribed "Quotations for Country Blankets or Cumblies".

This enquiry will be closed on the 19th August 1935.

No. S. P. C. 1783-90, *dated 23rd July* 1935.

To

The Firms dealing in Levelling Staves.

Enquiry No. 1473.

ENGINEERS' LEVELLING STAVES REQUIRED FOR THE SEVERAL DIVISIONS OF THE PUBLIC WORKS DEPARTMENT.

GENTLEMEN,

Please be good enough to intimate your best prices, f. o. r., Bangalore, Mysore, Kolar, Hassan, Tumkur, Shimoga, Chitaldrug and Chikmagalur Out-agency, for the materials described below :—

Sopwith pattern telescopic 14 ft. levelling staves made of best well-seasoned solid teak wood.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

(1) The price to be quoted should hold good for a period of one year from the date of order and no enhancement in the price accepted will be allowed during the period of contract.

(2) The staves will be required to be supplied within a fortnight from the date of receipt of indents.

(3) The contract will be deemed to be limited to the number of staves drawn during the period of contract.

(4) Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages.

The quotations should be superscribed "Quotations for Levelling Staves".

This enquiry will be closed on the 10th August 1935.

Yours faithfully,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

No. S. P. C. 1690, *dated 19th July* 1935.

NOTICE.

Enquiry No. 1453.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of Cotton Waste required during the year 1935-36, up to 15th August 1935.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 2, which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms, nor will the forms be sent by V.P.P.

No. S. P. C. 1864, *dated 23rd July* 1935.

NOTICE.

Enquiry No. 1460.

Sealed tenders will be received by the Secretary, Stores Purchase Committee, for the supply of hardware materials including glass panes, gauge glasses, chimneys, etc., for ordinary and [redacted]max lamps, and tools and plant required for the Electrical Department during the year 1935-36, up to 23rd August 1935.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee, obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 3 which is the price fixed for a set of forms and which is not refundable.

Cheques and postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V. P. P.

By Order,
V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.

S. P. C. No. 1840-41, *dated 22nd July* 1935.

Statement of orders placed by the Stores Purchase Committee, Government of Mysore, Bangalore, during the week ending Saturday the 6th July 1935.

Indent & Enquiry No.	Description of Materials	Quantity	Name of Firm	Value of Contract
Local.			Messrs.—	Rs. a. p.
3222 Extn.	Nibs (Steel pen) Perry's 88 m. ..	400 gross	M. A. Salam Abdul Majeed & Co., Bangalore City.	0 11 6 gross, free delivery
	Do 85 m. ..	300 ,,	T. M. Abdul Gaffoor & Co., Bangalore City.	0 11 6 do
	Do (Hinkswells 'Indra' No. 2041).	300 ,,		0 9 3 do
3231	Clacks, rubber, for Hydram ..	2 sets	Richardson & Cruddas, Madras	250 0 0 lot, f.o.r. Belagola
3132	*Spares for V. T. S. A. Power Pump* :—			
	Motor Gear, steel line	1	Richardson & Cruddas, Madras	211 0 0 f.o.r. Madras.
	Motor pinion, Bakelite ..	1	Do do ..	168 0 0 do
3233	Oil, groundnut	15 tons.	Sidramanna Shivanagappa Shetru, New Tharagupet, Bangalore City.	348 0 0 ton, free delivery in Bangalore.
1402				
3234	Valve, sluice, C. I. 1′ dia. with	1	Richardson & Cruddas, Madras	250 0 0 f.o.r.,
1349	flange and spigot tail pieces, capable of being operated by means of a wheel attached to a long rod 8 ft.			Madras.
	Do with a socket and flange tail piece and strainer..	1	Do do ..	250 0 0 do
3223 Extn.	Flood lights, novalux, submersible in water, mounted on base of cast aluminium alloy casing, with reflectors.	2	International General Electric Co., Bangalore.	255 0 0 each, f.o.r. Mysore.
Foreign.				
1717	Oil Circuit Breakers and Switches	lot.	Associated Electrical Industries (India) Ltd., Bangalore	3,170 0 0 c.i.f., Madras.
1271			A. G. Senapathy, Bangalore.	$156·50 f.a.s., New York.
1720	Apparatus, Diagnostic and operating, complete.	1	Cameron Surgical Speciality Co., Chicago, through Trade Commissioner for Mysore in London.	$754·05 c.i.f., Madras.
1721	Clamps or grips, Comealong with	30	General Cable Corporation, New York.	$414·00 lot., c.i.f. Madras.
1341	parallel jaws suitable for pulling 1–0 B. & S. bare H. D. copper wire of ·325″ dia.			

V. VEDAVYASACHARYA,
Secretary,
Stores Purchase Committee.